

# Cold Beverage Systems - Juice

Cold beverage dispenser with patented High Intensity mixing delivers superior drinks consistently





**JDF-2S**



**JDF-2S PC LD**  
(Lighted Door  
with Portion Control)

## PRODUCT FEATURES

- A cost effective solution to providing customers with superior juice beverages.
- One dispenser delivers both frozen and ambient products increasing profits by lowering costs.
- Drink consistency assured with the BUNN patented High Intensity® mixing technology.
- Pumps and mixes 2+1 to 11+1 concentrated beverages, including 4+1 high viscosity and 5+1 juices accurately and consistently.
- Quick dispense with 1.0 to 1.5 ounces (29.6 to 44.4 ml) per second flow rate.
- 7" cup clearance accommodates most juice containers.
- 8 lb. (3.6 kg) ice bank provides superior cold drink capacity.
- Advanced concentrate pump designed for easy setup, accuracy and durability.
- Modular dispense deck makes service fast and simple.
- Both push-button and single-size portion control in the same machine.
- Dual dispense allow simultaneous dispense from both dispense heads (juice display only).
- Three size portion control, lighted door models available.
- Preventive maintenance kit: 39690.0000.
- Lighted door units use high efficiency L.E.D. lighting system.

Cold Beverage Systems										
Model	Product #	Size		Electrical		Lighted Display	Dispense	Capacity	Cord Attached	Agencies
		Dimension	Weight	Volts	Amps					
<b>JDF-2S</b>	37900.0000	33.1" H x 10" W x 25.5" D (84.1cm H x 25.4cm W x 64.8cm D)	103 lbs. (46.7 kg)	120	4.5	No	push button	4 (5 oz.) drinks/ min.	Yes	 
<b>JDF-2S</b> (with air filter)	37900.0001									
<b>JDF-2S</b> (dual dispense)	37900.0025									
<b>JDF-2S LD</b>	37900.0008					Yes				
<b>JDF-2S</b> (dual dispense)	37900.0026									
<b>JDF-2S PC LD</b> (portion control)	37900.0016									
<b>JDF-2S LD</b> (dual dispense)	37900.0027									

# Cold Beverage Systems - Juice

Cold beverage dispenser with patented High Intensity mixing delivers superior drinks consistently



**JDF-4S**



**JDF-4 LD**  
(Lighted Door)





**JDF-4 PC LD**  
(Lighted Door with Portion control)

## PRODUCT FEATURES

- A cost effective solution to providing customers with superior juice and other concentrated beverages.
- One dispenser delivers both frozen and ambient products increasing profits by lowering costs.
- Drink consistency assured with the BUNN patented High Intensity® mixing technology.
- Pumps and mixes 2+1 to 11+1 concentrated beverages, including 4+1 high viscosity and 5+1 juices accurately and consistently.
- Quick dispense with 1.0 to 1.5 ounces (29.6 to 44.4 ml) per second flow rate.
- 7" (17.8 cm) cup clearance accommodates most juice containers.
- 18 lb. (8.2 kg) ice bank provides superior cold drink capacity.
- Advanced concentrate pump designed for easy setup, accuracy and durability.
- Two modular dispense decks makes service fast and simple.
- Both push-button and single-size portion control in the same machine.
- Three size portion control, lighted door models available.
- Door lock standard.
- Cold water option available.
- Preventive maintenance kit: 39690.0000.
- Lighted door units use high efficiency L.E.D. lighting system.

## Cold Beverage Systems

Model	Product #	Size		Electrical		Lighted Display	Dispense	Capacity	Cord Attached	Agencies
		Dimension	Weight	Volts	Amps					
JDF-4S	37300.0000	33.1" H x 15.7" W x 25.5" D (84.1cm H x 39.9cm W x 64.8cm D)	129 lbs. (58.5 kg)	120	6	No	push button	3 (12 oz.) drinks/ min.	Yes	 
JDF-4S (with cold water)	37300.0002									
JDF-4S LD	37300.0004									
JDF-4S LD (with cold water)	37300.0006									
JDF-4S PC LD (portion control)	37300.0023									

# Cold Beverage Systems - Iced Coffee

Cold beverage dispenser with patented High Intensity mixing delivers superior drinks consistently



**JDF-2S IC**



**JDF-2S IC LD**  
(Lighted Door)



**JDF-4S IC**



**JDF-4S IC LD**  
(Lighted Door)

## PRODUCT FEATURES

- A cost effective solution to providing customers with superior juice beverages.
- One dispenser delivers both frozen and ambient products increasing profits by lowering costs.
- Drink consistency assured with the BUNN patented High Intensity® mixing technology.
- Pumps and mixes 2+1 to 11+1 concentrated beverages, including 4+1 high viscosity and 5+1 juices accurately and consistently.
- Quick dispense with 1.0 to 1.5 ounces (29.6 to 44.4 ml) per second flow rate.
- 7" cup clearance accommodates most juice containers.
- JDF-2 8 lb. (3.6 kg) and JDF-4 18 lb. (8.2 kg) ice bank provides superior cold drink capacity.
- Advanced concentrate pump designed for easy setup, accuracy and durability.
- Modular dispense deck makes service fast and simple.
- Both push-button and single-size portion control in the same machine.
- Dual dispense allow simultaneous dispense from both dispense heads (juice display only).
- Three size portion control, lighted door models available.
- Preventive maintenance kit: 39690.0000.
- Lighted door units use high efficiency L.E.D. lighting system.

Cold Beverage Systems										
Model	Product #	Size		Electrical		Lighted Display	Dispense	Capacity	Cord Attached	Agencies
		Dimension	Weight	Volts	Amps					
JDF-2S (Iced Coffee)	37900.0002	33.1" H x 10" W x 25.5" D (84.1cm H x 25.4cm W x 64.8cm D)	103 lbs. (46.7 kg)	120	4.5	No	push button	4 (5 oz.) drinks/min.	Yes	NSF ETL US
JDF-2S LD (Iced Coffee)	37900.0009					Yes				
JDF-4S (Iced Coffee)	37300.0013	33.1" H x 15.7" W x 25.5" D (84.1cm H x 39.9cm W x 64.8cm D)	129 lbs. (58.5 kg)	120	6	No	push button	3 (12 oz.) drinks/min.	Yes	NSF ETL US
JDF-4S (Iced Coffee) (with cold water)	37300.0016					Yes				
JDF-4S LD (Iced Coffee)	37300.0020					Yes				

# iMIX<sup>®</sup> Dispensers - Iced Coffee

Sleek, eye-catching powdered beverage dispenser featuring advanced mixing technology delivers exceptional cold drinks



**iMIX-3 IC**  
(Iced Coffee Display)



**iMIX-3S+ IC**  
(Iced Coffee Display)



**iMIX-5 IC**  
(Iced Coffee Display)



**iMIX-5S+ IC**  
(Iced Coffee Display)

## COMMON FEATURES

- Three, 8-pound (3.6 kg) hoppers
- Lighted front graphics for merchandising.
- Large 4.4 gallon hot water tank.
- Cup clearance of 7.25" (18.4 cm).
- High speed, heavy-duty whipper for complete product mixing.
- Front of machine access for easy service, set up and calibration.
- Spring-loaded, all metal auger drive system for easy hopper installation.
- Left or right-hinged door option.
- Key service components easily accessible through front, top and side.
- High speed, heavy-duty whipper for complete product mixing.



International electrical configurations

## iMIX-3 AND iMIX-5 FEATURES

- Compatible with BUNNlink<sup>®</sup>.
- Low powder product detection system.
- Auger motors with RPM feedback monitoring assure consistent flavors and profits by controlling powder dosing.
- Digital technology adds night mode to prevent pilferage.
- English and Spanish.

## iMIX-3S+ AND iMIX-5S+ FEATURES

- Can be set as push and hold or single size portion control.
- Alphanumeric display allows adjustments and service operational testing from front of machine. Also communicates advertising messages, machine status and technical support contact information.
- English and Spanish.



**Iced Cappuccino Display**  
Product No.: 37457.0006

## iMIX Dispensers with 3 Hoppers

Model	Product #	Size		Electrical			Finish	Capacity	Cord Attached	Agencies
		Dimension	Weight	Volts	Amps	Watts				
iMIX-3 IC	36900.0026	32.8" H x 12.6" W x 24.1" D (83.3cm H x 32cm W x 61.2cm D)	90 lbs. (40.8 kg)	120	15	1800	Black	4.5 gal/hr. (17 L/hr.)	Yes	
iMIX-3S+ IC	38600.0006									
iMIX-5 IC	37000.0002	32.8" H x 19.5" W x 24" D (83.3cm H x 49.5cm W x 61cm D)	135 lbs. (61.2 kg)							
iMIX-5S+ IC	38100.0010									