

# Precise Temperature Water Dispensers



**HW2**

## PRODUCT FEATURES

- Dispenses up to 30.7 litres of hot water per hour
- Space-saving machine just 18cm wide to fit any counter.
- High quality, easy-to-clean stainless steel exterior and tank for a long life.
- Includes drip tray.
- Temperature setting at 93.3° C.
- Perfect for food prep and cleaning.

## RELATED PRODUCTS




**ED-17-TL**  
Product No.: 30201.1001

**EQ-17-TL**  
Product No.: 30200.1000

**Inlet Hose Assembly**  
Product No.: 32865.0001

**Power Cord**  
Product No.: 01716.0000



## Precise Temperature Water Dispensers

Product #	Description	Shipping Weight	Electrical					Cord	Agency
			Volts	Amps	Watts	Hertz	Phase		
02500.0002	HW2A	10 kg	230	7.6	1750	50/60	1	No	CE
02500.0006	HW2A			13.1	3000				CE
02500.0008	HW2A, 220V, Korea		230	7.6	1750	CE			

Plumbing: 138-621 kPa. Machine supplied with 1/4 inch OD male flare fitting. All plumbed models that are CE listed feature backflow prevention.

# Precise Temperature Water Dispensers



## PRODUCT FEATURES

- Dispenses up to 68.14 litres of boiling water (H5X) per hour.
- Precise temperature ensures consistent results.
- High quality, easy-to-clean stainless steel exterior and tank for a long life.
- Can be front or side wall mounted for space savings.
- Perfect for preparing large amounts of mashed potatoes, gravy, cheese sauce, gelatin, oatmeal and many more foods.

## RELATED PRODUCTS



**EQHP-10**  
Product No.: 39000.0004

**EQHP-10L**  
Product No.: 39000.0001


**Drip Tray**  
Product No.: 02497.0000

**Wall Mount Bracket (side)**  
Product No.: 12542.0000

**Wall Mount Bracket (front)**  
Product No.: 13125.0001

**Shelf Kit**  
Product No.: 12599.0000

**Inlet Hose Assembly**  
Product No.: 32865.0001



Precise Temperature Water Dispensers

61

## Precise Temperature Water Dispensers

Product #	Description	Shipping Weight	Electrical					Cord	Agency
			Volts	Amps	Watts	Hertz	Phase		
12500.0056	H5MA, 95.6°C	14.5 kg	230	16	3700	50/60	1	No	CE
12500.0062	H5EA-40-230, 93.3°C								
12500.0063	H5EA-40-230, 29°/46°C								
12500.0064	H5XA-40-230, 100°C								
12500.0067	H5EA-40-230, 90°C								
39100.0003	H5EA, portion control								

Plumbing: 138-621 kPa. Machine supplied with 1/4 inch OD male flare fitting. All plumbed models that are CE listed feature backflow prevention.

Dimensions in centimetres. Other models may be available, please contact your BUNN Sales Representative. For capacities, additional specs, manuals, care & cleaning, visit [www.bunn.com](http://www.bunn.com).

# Precise Temperature Water Dispensers



**H10X**

## PRODUCT FEATURES

- Dispenses up to 90.85 litres of boiling water per hour.
- Precise temperature 100°C ensures consistent, high quality results.
- Ideal for preparation of large amounts of mashed potatoes, gravy, cheese sauce, gelation, oatmeal, and many more foods.
- Includes dry-plug prevention for easy installation.

## RELATED PRODUCTS




**EQHP-10**  
Product No.: 39000.0004

**EQHP-10L**  
Product No.: 39000.0001

**Drip Tray**  
Product No.: 02497.0000

**Inlet Hose Assembly**  
Product No.: 32865.0001



## Precise Temperature Water Dispensers

Product #	Description	Shipping Weight	Electrical					Cord	Agency
			Volts	Amps	Watts	Hertz	Phase		
26300.0000	H10X-80-240, 100°C	30.26 kg	240	33.5	8050	50/60	1	No	NSF

Plumbing: 138-621 kPa. Machine supplied with 1/4 inch OD male flare fitting.